




Air-Cavity Ceramic (ACC) packages for RF power transistors*



(L x W x H (mm))



ACC-1230-6F-2
(32.26 x 10.16 x max. 5.5 (mm))



ACC-1230-6F-3
(41.15 x 10.16 x max. 5.5 (mm))



ACC-1230-6G-2
(32.26 x 10.16 x max. 5.5 (mm))



SOT467B
(9.7 x 5.8 x max 4.7 (mm))



SOT467C
(20.3 x 5.8 x max 4.7 (mm))



SOT502A
(34.0 x 9.8 x max 4.7 (mm))




SOT502B
(20.6 x 9.8 x max 4.7 (mm))



SOT502E
(20.6 x 9.8 x max 4.7 (mm))




SOT502F
(34.0 x 9.8 x max 4.7 (mm))



SOT539A
(41.2 x 10.2 x max 4.7 (mm))




SOT539AN
(41.2 x 10.2 x max 4.7 (mm))



SOT539B
(32.3 x 10.2 x max 4.7 (mm))



SOT539BN
(32.3 x 10.2 x max 4.7 (mm))



SOT1121A
(34.0 x 9.8 x max 4.7 (mm))



SOT1121B
(20.6 x 9.8 x max 4.7 (mm))



SOT1135A
(20.3 x 9.8 x max 4.7 (mm))



SOT1135B
(9.8 x 9.8 x max 4.7 (mm))




SOT1214A
(34.0 x 9.8 x max 4.7 (mm))



SOT1214B
(20.6 x 9.8 x max 4.7 (mm))

* Not drawn to scale

Air-Cavity Ceramic (ACC) packages for RF power transistors* (continued)



Air-Cavity Plastic (ACP) packages for RF power transistors*




* Not drawn to scale

Overmolded Plastic (OMP) packages for RF power transistors*



DFN-4.5x4-6-1
(4.0 x 4.5 x max. 0.85 (mm))



DFN-7x6.5-6-1
(7.0 x 6.5 x max. 0.85 (mm))



LGA-7x7-20-1
(7.0 x 7.0 x max. 1.0 (mm))



LGA-7x7-20-2
(7.0 x 7.0 x max. 1.0 (mm))



LGA-12x8-34-2
(12.0 x 8.0 x max. 0.98 (mm))



OMP-400-8F-1
(10.3 x 10.3 x max. 4.0 (mm))




OMP-400-8G-1
(10.3 x 10.3 x max. 4.0 (mm))



OMP-780-4F-1
(20.75 x 9.96 x max 4.0 (mm))



OMP-780-4G-1
(20.75 x 9.96 x max 4.0 (mm))



OMP-780-6F-1
(20.57 x 9.78 x max. 4.0 (mm))



OMP-780-16F-1
(20.75 x 9.96 x max 4.0 (mm))



OMP-780-16G-1
(20.75 x 9.96 x max 4.0 (mm))



OMP-1230-4F-1
(32.34 x 9.96 x max 4.0 (mm))



OMP-1230-4G-1
(32.34 x 9.96 x max 4.0 (mm))



OMP-1230-6F-1
(32.25 x 9.78 x max 4.0 (mm))



OMP-1230-6F-2
(32.25 x 9.78 x max 4.0 (mm))



PQFN-12x7-36-1
(12.0 x 7.0 x max. 2.2 (mm))



SOT1211-3
(20.75 x 9.96 x max 4.0 (mm))



SOT1212-3
(20.75 x 9.96 x max 4.0 (mm))



SOT1462-1
(8.0 x 8.0 x max 2.2 (mm))

* Not drawn to scale

Overmolded Plastic (OMP) packages for RF power transistors* (continued)



SOT1483-1
(10.67 x 6.1 x max 2.0 (mm))



TO-270-2F-1
(10.67 x 6.1 x max 2.0 (mm))



TO-270-2G-1
(10.67 x 6.1 x max 2.0 (mm))



QFN-8x8-20-1
(8 x 8 x max 1.05 (mm))

* Not drawn to scale